


**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**


1. (currently amended): A compound represented by a formula [1]:



wherein R<sup>1</sup> and R<sup>2</sup> respectively represent a heavy or light hydrogen atom, R<sup>3</sup> represents a heavy or light hydrogen atom or a methyl group in which three hydrogen atoms are respectively heavy or light hydrogen atoms, R<sup>4</sup> represents a condensed ring group composed of a norbornane ring and a C<sub>5-7</sub> hydrocarbon ring provided that at least one hydrogen atom contained in the condensed ring group is a heavy hydrogen atom; produced according to the method of claim 12.

Claim 2-11 (canceled).

12. (currently amended): A process for producing a compound represented by a formula [1]:




wherein R<sup>1</sup> and R<sup>2</sup> respectively represent a heavy or light hydrogen atom, R<sup>3</sup> represents a heavy or light hydrogen atom or a methyl group in which three hydrogen atoms are respectively heavy or light hydrogen atoms, R<sup>4</sup> represents a condensed ring group composed of a norbornane ring and a C<sub>5-7</sub> hydrocarbon ring provided that at least one hydrogen atom contained in the condensed ring group is a heavy hydrogen atom;

~~comprising reacting an alcohol having a condensed ring group, in which at least one hydrogen atom is a heavy hydrogen atom, composed of a norbornane ring and a C<sub>5-7</sub> hydrocarbon ring, with a compound represented by a formula [2]; comprising:~~

preparing a deuterated alcohol having a condensed ring group composed of a norbornane ring and a C<sub>5-7</sub> hydrocarbon ring, in which at least one hydrogen atom of the condensed ring is a heavy hydrogen atom, by reacting an alcohol having a condensed ring group composed of a norbornane ring and a C<sub>5-7</sub> hydrocarbon ring with heavy water in the presence of palladium catalyst under an atmosphere of light hydrogen gas; and

reacting said deuterated alcohol with a compound represented by formula [2];



wherein R<sup>1</sup> and R<sup>2</sup> respectively represent a heavy or light hydrogen atom, R<sup>3</sup> represents a heavy or light hydrogen atom or a methyl group in which three hydrogen atoms are respectively heavy or light hydrogen atoms, and X represents a halogen atom, a hydroxyl group or an alkoxy group.

Claims 13-16 (canceled).

17. (new): A process for producing a deuterated alcohol having a condensed ring group composed of a norbornane ring and a C<sub>5-7</sub> hydrocarbon ring, in which at least one hydrogen atom of the condensed ring is a heavy hydrogen atom, comprising:

reacting an alcohol having a condensed ring composed of a norbornane ring and a C<sub>5-7</sub> hydrocarbon ring with heavy water in the presence of palladium catalyst under an atmosphere of light hydrogen gas.